

## **Knowledge Awareness for a Computer-Assisted Language Learning Using Handhelds**

Authors name: Hiroaki Ogata and Yoneo Yano

Affiliation: Department of Information Science and Intelligent Systems, Tokushima University

Contact address:

Dr. Hiroaki Ogata

Department of Information Science and Intelligent Systems,

Faculty of Engineering, University of Tokushima

2-1, Minamijosanjima, Tokushima 770-8506, Japan

[TEL/FAX] +81 88 656 7498

[Email] [ogata@is.tokushima-u.ac.jp](mailto:ogata@is.tokushima-u.ac.jp)

Biography:

Hiroaki OGATA, received the B.E., M.E. and Ph. D degrees from the Department of Information Science and Intelligent Systems, Tokushima University, Japan, in 1992, 1994 and 1998, respectively. He was a visiting researcher of Center for Lifelong Learning and Design at the University of Colorado at Boulder, USA from 2001 through 2003. Currently he is an associate professor in the Faculty of Engineering, Tokushima University. He was engaged in the research field of CSCW/L. His current interests are in CSUL (Computer Supported Ubiquitous Learning). He is a member of IPSJ, IEICE, JSiSE, IEEE, ACM, and AIED. He received the best paper award from JSiSE in 1998 and from WebNet in 1999. He is an editorial board of JSiSE and International Journal of Web Engineering and Technology. His web page is <http://www-yano.is.tokushima-u.ac.jp/ogata/>

Yoneo YANO, received B.E., M.E., and Ph. D degrees in communication engineering from Osaka University, Japan, in 1969, 1971, and 1974, respectively. Since 1974 he has worked as a research associate at the Dept. of Information Science and Intelligent Systems, Tokushima University, Japan. He is currently a Dean at the Faculty of Engineering. He was a visiting Research Associate at the Computer-Based Education Research Lab, University of Illinois, USA. His current interests are in the intelligent CAI, human interfaces and groupware. He is a member of IPSJ, IEICE, and JSiSE, JAPAN Society for Educational Technology, AACE and IEEE. Currently, he was the vice president and the editor in chief of JSiSE and an editor of IEICE.

# Knowledge Awareness for a Computer-Assisted Language Learning Using Handhelds

## Abstract

*This paper describes a computer supported collaborative learning (CSCL) in a ubiquitous computing environment. In the system called CLUE, the learners provide and share individual experience and interaction corpus and discuss about them. This paper focuses on the design, implementation, and evaluation of knowledge awareness map. The map visualizes the relationship between the shared knowledge and the current and past interactions of learners. The map plays a very important role for finding peer helpers, and inducing collaboration.*

## 1. Introduction

Ubiquitous computing (Abowd & Mynatt, 2000) will help in the organization and mediation of social interactions wherever and whenever these situations might occur (Lyytinen & Yoo, 2002). Its evolution has recently been accelerated by improved wireless telecommunications capabilities, open networks, mobile devices, continuous increase in computing power, improved battery technology, and the emergence of flexible software architectures. With those technologies, an individual learning environment can be embedded in daily real life.

The main characteristics of mobile and ubiquitous learning are shown as follows (Chen et al, 2002; Curtis et al, 2002):

- (1) Permanency: Learners never lose their work unless it is purposefully deleted. In addition, all the learning processes are recorded continuously everyday.
- (2) Accessibility: Learners have access to their documents, data, or videos from anywhere. That information is provided based on their requests. Therefore, the learning involved is self-directed.
- (3) Immediacy: Wherever learners are, they can get any information immediately. Thus, learners can solve problems quickly. Otherwise, the learner can record the questions and look for the answer later.
- (4) Interactivity: Learners can interact with experts, teachers, or peers in the form of synchronous or asynchronous communication. Hence, the experts are more reachable and the knowledge becomes more available.
- (5) Situating of instructional activities: The learning could be embedded in our daily life. The problems encountered as well as the knowledge required are all presented in their natural and authentic forms. This helps learners notice the features of problem situations that make particular actions relevant.

Moreover, the above mentioned learning can be Computer Supported Collaborative Learning (CSCL) (O'Malley, 1994) environments that focus on the socio-cognitive process of social knowledge building and sharing.

The challenge in an information-rich world is not only to make information available to people at any time, at any place, and in any form, but specifically to say the right thing at the right time in the right way (Fischer, 2001). A ubiquitous computing environment enables people to learn at any time and any place. Nevertheless, the fundamental issue is how to provide learners with the right information at the right time in the right way. This paper tackles the issues of right time and right place learning (RTRPL) in a ubiquitous computing environment.

Especially, we focus on language learning as an application domain of this research, because language is strongly influenced by situations. There are two different kinds of users of this system: one of them is an overseas university student in Japan, who wants to learn Japanese language; the other is a Japanese student who is interested in English as a second language and plays an important role as helper for the overseas student. The learners with PDA (Personal Digital Assistant) store and share the interaction corpus (useful expressions) and experience that are linked to any place in everyday life. Then, the system retrieves past interaction and experience based on the current context, and provides each learner with the right expressions at the right place immediately. For example, if the learner enters a hospital, then the right expressions at that place are provided at that moment for realizing RTRPL. It is very important to encourage not only individual learning but also collaborative learning in order to augment practical communication among learners and accumulation of expression.

In order to induce collaborative learning, this paper proposes Knowledge Awareness (KA) map that visualizes KA information for mobile learning environments. The map helps learners to mediate and recognize collaborators in the shared knowledge space. On this map, the system identifies learning-companions who can help solving a problem. The characteristics of the map are:

- (1) Visualization of objects in the map and expressions as educational materials,
- (2) Visualization of the links between expressions and learners to induce collaboration,
- (3) Recommendations of appropriate collaborators (peer helpers) on KA map to help find suitable partners.

In this way, KA facilitates peer review of the shared knowledge. We are developing an open-ended collaborative learning support system, which is called CLUE (Collaborative-Learning support-system with a Ubiquitous Environment) (Ogata & Yano, 2003). CLUE is a prototype system for embedding KA map, and facilitates to share individual knowledge and to learn through collaboration.

As for the related works, there are challenges in providing customers useful recommendations about interesting products and services with mobile devices, depending on location and time. For example, Tveit (2001) proposed peer-to-peer based collaborative filtering architecture for mobile customers. Meanwhile, in the language learning setting, the fundamental problem is “what expressions are often used at the current location, and who is a suitable peer helper to answer questions about the expressions.” CLUE provides useful expressions for mobile learners, depending on the learner’s current location, as well as peer learners through KA. The expressions are linked in the locations, and recommended based on the number of the learners’ actions such as reference and modification. The peer helpers are also recommended based on the number of their

actions corresponding to the expression. In the language learning environment, we believe collaboration between peer learners is very important in order to sharing and understanding the complicated context of each expression.

Many researches have been done on the wireless mobile learning. According to (Roschelle, 2003), “90% of teachers in a study of 100 palm-equipped classrooms reported that handhelds were effective instructional tools with the potential to impact student learning positively across curricular topics and instructional activities.” This paper shows three categories of mobile devices in education; classroom response systems, participatory simulations, and collaborative data gathering tools. CLUE falls into collaborative data gathering tools. Using CLUE learners collect and share expressions based on their experience. As for related work of data gathering tools, the bird watching assisting system was developed (Chen et al, 2002). However, the system that helps language learning has not been proposed. Ubiquitous Computing can be also called context-aware and situated computing. Therefore, this technology can be very helpful for language learning because language is much related with context and situation.

This research is advocated by pedagogical theories such as on-demand learning, hands-on learning, and authentic learning. Brown, Collins, and Duguid (1989) define authentic learning as coherent, meaningful, and purposeful activities. When the classroom activities are related to the real world, students receive great academic delights. There are four types of learning to ensure authentic learning: action learning, situated learning, incidental learning, and experimental learning (Hwang). Those learning forms could be very helpful for language learning. As for the comparison between dictionary-based learning and authentic learning, Miller and Gildea (1987) worked on vocabulary teaching, and described how children are taught words from dictionary definitions and a few exemplary sentences. They have compared this method with the way vocabulary is normally learned outside school. People generally learn words in the context of ordinary communication. This process is startlingly fast and successful. We believe authentic learning is very important so that learners construct an understanding of the language in everyday life.

This paper describes the literature review in this section; section 2 provides the definition of knowledge awareness and the model of KA map; section 3 presents the prototype system; and the experimentation and finding are mentioned in section 4. Finally conclusions and implications of this approach in other settings are remarked.

## **2. Knowledge Awareness Map**

### **2.1 What is knowledge awareness?**

KA is defined as awareness of the use of knowledge (Ogata et al, 1996; 2000). In a distance-learning environment, it is very difficult for the learner to be aware of the use of other learners' knowledge because the learner cannot understand their actions in the remote site beyond Internet. KA messages inform a learner about other learners' real-time or past-time actions (look-at, change, and discuss), which have something to do with knowledge on which a learner was or is presently engaged. Some examples of KA messages are “someone is changing the same

knowledge that you are looking at”, “someone discussed the knowledge which you have inputted.” These messages make the learner aware of someone:

- (1) Who has the same problem or knowledge as the learner;
- (2) Who has a different view about the problem or knowledge; and/or
- (3) Who has potential to assist solving the problem.

Therefore, the messages that are domain independent, can enhance collaboration opportunities in a shared knowledge space, and make it possible to shift from solitary learning to collaborative learning in a distributed learning space.

KA messages are classified into two dimensions: time and knowledge separation. KA message of type same time (ST) informs the learner that other learners are doing something at the same time that the learner is using the system. By using learners' past actions, KA message of type different time (DT) provides the encounters beyond time. KA message of type same knowledge (SK) is a message about other learners' activities related to the same knowledge that the learner is looking at, discussing, or changing. This type is available for learners to find partners who have the same problem or knowledge. KA message of type different knowledge (DK) enhances collaboration possibility with another learner (1) who has had something to do with the learner's interests; or (2) who has different expertise from the learner's interests.

For example, the message of type STSK “Who is looking at the knowledge?” shows the existence of learners who are looking at the knowledge that the user is looking at. By this message, the user may start to discuss on the knowledge. Likewise, the message of type DTSK “Who changed the knowledge since I have last looked at?” facilitates to start a discussion about the change of the knowledge. Moreover, the message of type STDK “What knowledge are they discussing?” is useful to join into discussions that interest the learner.

KA has a close relation with learner's curiosity. Hatano and Inagaki (1973) identified two types of curiosity: particular curiosity and extensive curiosity. Extensive curiosity occurs when there is a desire for learning that makes the learner's stock of knowledge well balanced by widening the learner's interests. Particular one is generated by the lack of sufficient knowledge, and it is very useful because the learner can acquire detailed knowledge. KA message of type SK excites particular curiosity, and KA message of type DK satisfies extensive one. For example, a message of type STDK stirs up the learner's extensive curiosity by attracting his/her attention to particular knowledge when is focused on nothing. Moreover, the message of type STDK leads the learner to collaboration by arousing the learner's particular curiosity.

## **2.2 Knowledge Awareness map**

Knowledge Awareness Map graphically displays KA information. This map provides learner with a clear grasp of some learners around knowledge that is separated from the learner looking knowledge. With this, the learner can seek for another learner as discussion companion interactively. In this way, KA facilitates peer-reviews and refinements of the shared knowledge.

### 2.2.1 Learner's profile

The system obtains the learner's profile from two sources:

- (1) The learner's action log: e.g., the number of visit to the location;
- (2) The learner's explicit registration.

The learner's actions in an open-ended learning environment can be classified as follows: (A) entering a new location, (B) entering a new expression, (C) making a link to a WWW page, (D) asking a question, (E) answering a question, (F) modifying an expression, (G) participating in a discussion, and (H) looking at an expression. These eight actions are one of the sources of the learner's profile. However, it is difficult to detect the interest of the learner only from his/her actions. Therefore, it is necessary that the learner register his/her own interests on the knowledge.

### 2.2.2 Strategy for recommending peer learners

When the learner asks a question and is seeking for a helper, the system recommends from one to three persons. The type of the learner who participates in collaboration is shown below:

- (1) Questioner: This learner has some questions and requires collaboration.
- (2) Answerer: This learner answers the question of the questioner.
- (3) Participant: This learner is interested in the question and wants to join the collaboration.

The system recommends to the questioner an answerer who can help problem solving and some participants by using the following information:

- (1) The login situation of learners:

Because it is a real-time discussion, the system selects only logged-in users as candidates.

- (2) The profile of each learner:

Although the profile consists of the number of access actions to the knowledge, the system has to evaluate totally. If the total number of (A)-(D) actions of a learner is larger than that of (E)-(H) actions, then the system considers the learner as an answerer. Otherwise, the learner is considered as a participant. The larger the total of a learner's actions, the more the learner is preferred to join the collaboration.

- (3) The current action of learner:

The system gives a high priority to learners who are doing nothing (idle) in the learning environment. This consideration activates passive learners by stimulating their intellectual curiosity.

This paper proposes the level of interest (LOI) as follows:

$$LOI = \frac{\text{No. of the learner's actions to the expression}}{\text{Max No. of other learner's actions to the expression}}$$

The range of LOI is from 0.00 to 1.00. The higher the number of actions is, the higher the value of LOI is. According to the above equation, the suitable peer helpers are considered to have high value of LOI, and they are recommended by the system.

## 2.3 Visualization of KA

A link in KA map shows the relationships between expressions and learners. The length (L) of a link means the strength of the relationship between an expression and a learner, and it is calculated by the following equation:

$$L = D(2 - LOI)$$

where, D is a default value of link length.

The range of L is from D to 2D. If a learner is very interested in a page, the link length (L) between the page and the learner is short and close to D.

### 3. Towards the development of a Proof of concept prototype system: CLUE

We have developed the prototype system of CLUE, which consists of a server and clients. Each learner's client of CLUE is a Toshiba Genio-e PDA with Pocket PC 2002, Personal Java, GPS (Global Positioning System), and wireless LAN (IEEE 802.11b) (see figure 1). Especially, we selected this device to use GPS and wireless LAN at the same time. The server program has been implemented with Tomcat 4.1.18, JSP1.2 and JDK1.4.1\_02.




Figure 1: PocketPC, GPS and Wireless LAN card.

#### 3.1 Information in CLUE

Based on (Abowd et al, 2000), CLUE deals with the following information:

Who: Current systems focus their interaction on the identity of one particular user, rarely incorporating identity information about other people in the environment. As human beings, we tailor our activities and recall events from the past based on the presence of other people. CLUE identifies not only the current user but also other users surrounding him/her. CLUE provides the right information after interpreting their user-models. Especially, usage of Japanese Language is modified according to the listener. For example, we, Japanese people use different level of polite expressions depending on the age of other people.

What: The interaction in current systems assumes either what the user is doing or leaves the question open. Perceiving and interpreting human activity is a difficult problem. Nevertheless,

interaction with continuously worn, context-driven devices will likely need to incorporate interpretations of human activity to be able to provide useful information.

**When:** With the exception of using time as an index into a captured record or summarizing how long a person has been at a particular location, most context-driven applications are unaware of the passage of time. For example, the learner might get the right expressions at the certain time, e.g., morning.

**Where:** In many ways, the “where” component of context has been explored more than other items. Of particular interest is coupling notions of “where” with other contextual information, such as “when.”

**Why:** Even more challenging than perceiving “what” a person is doing, understands “why” that person is doing it. Using “why” information, the right expressions could be provided to the learner.

### **3.2 System configuration**

As shows in figure 2, CLUE has the following modules:

**Learner model:** This module has the learner’s profile, such as name, age, gender, occupation, interests, etc, and the comprehensive level of each expression. Before using CLUE, the learner enters those data. In addition to this explicit method, CLUE implicitly detects learner’s interests according to the history of visits. Moreover, this system records whether the learner understands expressions.

**Environmental model:** This module has the data of objects, rooms and buildings in the map, and the link between objects and expressions. For example, (Post office, location (x, y), “I’d like to buy a stamp.”) means the post office is located at (x, y) on the map and that expression is often used there.

**Educational model:** This module manages expressions as learning materials and dictionaries. The teacher enters the basic expression for each place. In addition, learners can add pictures and/or movies into the database. Those multimedia data helps learners understand the situation where another learner was. Both learners and the teacher can add or modify expressions during the system use.

**Communication support:** This server manages a BBS (bulletin board system) and a chat tool, and stores their logs into a database.


**Location manager:** This module stores each learner’s location into the database.

**Adaptation engine:** This module recommends to the learner the suitable expression and KA map.

**Communication client:** This is a client of BBS and chat.

**Location sensor:** This module sends the learner’s location from GPS to the server automatically.

**Information visualization:** This module shows KA map to the learner.



**Figure 2: System configuration.**

### 3.3 Recommendation of Learning Materials

When the learner is walking around, CLUE presents expressions in a given order determined based on the following conditions:

- (1) The expression is frequently used at the learner's present location.
- (2) The learner has never learned the expression.
- (3) Most of other learners have already learned the expression.
- (4) The level given by a teacher for the expression is appropriate for the learner's level.

Condition (1), (2) and (3) are derived from the learner's information. Condition (4) is derived from the learning materials and the learner's level that is detected by the right answer rate of the learner at that moment. The more conditions an expression meets, the higher the order of the expression will be. In this way, CLUE presents the right expression at the specific place.

The learning spots in the map are stored as an environmental model, e.g., station, university. The learning spot that is the closest from the user is detected by the Euclidean distance between the user's location ( $x_1, y_1$ ) and the learning spot ( $x_2, y_2$ ). If the distance between two coordinates is less than the given constant, the system finds that the user is at the learning spot.

### 3.4 Interface of CLUE

Interface of the collaborative learning environment of CLUE is shown in Figure 3. The map window (A) shows the current location of each learner. The face icon on the map means the learning status of each learner. For example, if a learner has a problem or question, the face turns into a sad one. By clicking the face icon, it is possible to send a message to the learner corresponding to the icon. In addition, a rectangle icon on the map shows a landmark where a teacher or a learner gives some expressions, or where they communicate with each other. If a learner enters an expression at one place for the first time, then a new landmark is created in the

map. By clicking the rectangle icon, the user can see the web page of the place (e.g., the hospital), the expressions that are used in the place, or the communication logs about either the expressions or the place. Users can also register their positions at any time if GPS does not work. For example, it might come out when big buildings surround them, or when they are inside a building.



Figure 3. Screen snapshots of CLUE.

If the learner approaches certain place, the window (B) appears, which shows an English useful expression for that place. If the current user has already learned all the expressions for that place, the expressions do not appear. If the learner can correctly answer the Japanese expression corresponding to the English one, the next expression will appear. Otherwise, the learner will be given the same expression the next time he/she comes to the place.

If the learner has a question about the expressions, the window (C) shows the relation between expressions and other learners. The color of an oval icon shows the level of difficulty given by a teacher for one expression. Moreover, the color of a rectangle icon shows the level of proficiency of the learner. The more correct-answers the learner gives, the higher is the level. From this KA map, the learner can find a suitable person to ask the question. If the learner has a question about one place, the window (D) shows other people who have visited it, and the window (D) shows the relation between people and all the places on the map.

As for a use case, a learner from France entered a ticket shop in the University in order to buy a bus ticket. Then CLUE showed him some Japanese expressions that mean “do you have a ticket for Osaka? I would like to buy a one way ticket. And so on” The learner read the expression, and could smoothly communicate with the shop clerk. CLUE was very useful because most of the shop clerks and the office staffs cannot be good at English conversation and they hesitate to try to speak English. But it is not so easy for foreigners to speak Japanese so proficiently. In such a situation, CLUE helps “learning in the real world.” After a while, the learner can review and brush up the expressions that the learner used before.


#### **4. Experimentation**

The simulation of the use of CLUE was held as an initial experimentation. Three undergraduate students and three master course students were arranged as test subjects for the initial evaluation of CLUE system. They, Japanese people, were very interested in ESL (English as the Second Language). We selected 89 English and Japanese sentences as learning materials from the online dictionary called Eijiro (see reference). These sentences are useful expressions at specific places, for instance, a hospital, a restaurant, a shopping store, a hotel, etc. We mapped those places into the buildings of our campus. Some overseas students who spoke English were at each spot and had a talk with the learners, based on the learning materials (see figure 4). Then CLUE tried to provide each user with the right expression when approaching to the given place.


An outside wireless antenna was established in our University, and the campus was assumed a small town. Each student walked during a week through the campus with a PDA with a wireless LAN and a GPS. At the first day of this experiment, all the students took a pre-test. Then for a week half of them, group X, learned with CLUE, and the others, group Y, learned English based on papers. After that, all of them took a post-test. The contents of the post-test and the pre-test were different, but both tests were derived from the 89 sentences.



**Figure 4: Usage scene of CLUE (The left is the foreign student who can speak English very well, and the right is the Japanese student who wants to learn English.)**



**Figure 5. The score of each user.**



**Figure 6. The score of the test in a hospital.**

#### 4.1 Results of the examination

Figure 5 shows the score of each user in the pre-test and the post-test. Users A, B, and C in group X learned English with CLUE, and users D, E, and F in group Y learned without CLUE. The average increase of the score between the pre-test and the post-test is 21.3 in group X, and 7.0 in group Y. It might be because the members in group X could discuss about the specific topic among them. Within the discussion, they might acquire words, idioms, and sentences in addition to the learner materials. Compared to group X's activities, group Y learned individually without discussion. Especially, the score of post-test of group X increased more than that of group Y as shown in Figure 6. We think that is because the group X discussed about the expressions at the

hospital where they had known only a few expressions. Therefore, CLUE was very useful to induce discussions, and to broaden and solidify their knowledge.

**Table 1: The results of questionnaires.**

No	Question	Ave.
Q1	Did CLUE provide the right information at the right place?	5.0
Q2	Did CLUE ask a question at right way?	4.3
Q3	Did you understand KA map easily?	4.0
Q4	Do you think KA map very useful?	4.6
Q5	Was the map window necessary for you?	4.3
Q6	Do you think CLUE very helpful for language learning?	4.6
Q7	Do you think CLUE very useful in the class if you were a teacher?	4.3
Q8	Do you think CLUE easy to use?	4.0
Q9	Do you want to keep using CLUE?	4.6

#### 4.2 Results of the questionnaire

The effectiveness of CLUE was evaluated with a questionnaire. The users of CLUE gave a score between one and five to each of nine questions, with one being the lowest, and five being the highest. The average of score was 4.4. Table 1 shows the results of the questionnaire. According to question (1) and (2), the users were quite satisfied with the information provided by CLUE.

In terms of KA map, question (3) and (4) show that KA could be provided in the appropriate way. One of the learners commented that KA map is easy enough to understand. Another learner commented that KA map could not be understood easily if there were many nodes. For that reason, we will try to improve the visualization of KA. From the results of question (6) and (7), we found that CLUE played a very important role for enhancing learning. Through discussions, users were able to teach and learn from each other, and most learners replied that they had a feeling of achievement. The question (8) shows that the user interface of CLUE should be improved. Finally, question (9) shows that most of the users were interested in CLUE.

After the experimentation, some users commented out “it was very useful for me to be provided the useful expression at the current location with PDA.” This comment is simple, but it seems to indicate the effectiveness of CLUE. Moreover, some users told that CLUE helped to link the expressions and the corresponding spots. As for KA map, they commented KA map was very helpful to find a peer helper. However, they suggested simplifying KA map because of the small screen of PDA.

#### 5. Conclusions

This paper describes a computer supported collaborative learning (CSCL) in a ubiquitous computing environment. In the environment called CLUE, the learners provide and share individual knowledge and other knowledge, and discuss about them in their daily life. This paper focuses on the design, implementation, and evaluation of knowledge awareness map. The map visualizes the relationship between the shared knowledge and the current and past interactions of learners. In the future, we will try to evaluate CLUE for a long term.

In the future research, the nationality of learner should be considered. For example, Chinese students could derive the meaning from Chinese (Kanji) Characters because they are familiar with the characters. However, the learners whose mother language is based on alphabet might be taught the meaning of the characters as well as the meaning of the sentences. Therefore, in the next step, CLUE will take into account of the learner's nationality in order to provide the right information.

It is possible to reuse the conversational data that is stored during the system's use in a digital city. The learner can learn language by walking through a digital (virtual) city without moving in the real one. Moreover, the entertainment function like a video game will be added in order to keep high the learner's motivation. New technologies like RFID tags will help computers to be aware of learners' location in the buildings.

## Acknowledgements

This work was partly supported by the Grant-in-Aid for Scientific Research No.15700516 from the Ministry of Education, Science, Sports, and Culture in Japan.

## References

- Abowd, G.D., and Mynatt, E.D.: Charting Past, Present, and Future Research in Ubiquitous Computing, *ACM Transaction on Computer-Human Interaction*, Vol.7, No.1, pp.29-58, 2000.
- Brown, J. S., Collins, A., and Duguid, P.: Situated Cognition and the Culture of Learning. *Educational Researcher*, ( Jan.-Feb.), pp.32-42, 1989.
- Chen, Y.S., Kao, T.C., Sheu, J.P., and Chiang, C.Y.: A Mobile Scaffolding-Aid-Based Bird - Watching Learning System, *Proceedings of IEEE International Workshop on Wireless and Mobile Technologies in Education (WMTE'02)*, pp.15-22, IEEE Computer Society Press, 2002.
- Curtis, M., Luchini, K., Bobrowsky, W., Quintana, C., and Soloway, E.: Handheld Use in K-12: A Descriptive Account, *Proceedings of IEEE International Workshop on Wireless and Mobile Technologies in Education (WMTE'02)*, pp.23-30, IEEE Computer Society Press, 2002.
- Eijiro, English-Japanese Dictionary, <http://member.nifty.ne.jp/eijiro/index.html>
- Fischer, G.: User Modeling in Human-Computer Interaction, *Journal of User Modeling and User-Adapted Interaction (UMUAI)*, Vol. 11, No. 1/2, pp 65-86, 2001.
- Hatano, G. and Inagaki, K. *Intellectual curiosity*, Chuo Koronsya Press, 1973. (in Japanese)

- Hwang, K.S.: Authentic Tasks in Second Language Learning, <http://tiger.coe.missouri.edu/~vlib/Sang's.html>
- Lyytinen, K. and Yoo, Y.: Issues and Challenges in Ubiquitous Computing, *Communications of ACM*, Vol. 45, No. 12, pp.63-65, 2002.
- Miller, G. A., and Gildea, P.M.: How children learn words. *Scientific American*, No.257, pp.94–99, 1987.
- Ogata, H., Matsuura, K. and Yano, Y. Knowledge awareness: Bridging between shared knowledge space and collaboration in Sharlok, *Proceedings of Educational Telecommunications '96*, pp.232-237. 1996.
- Ogata, H. and Yano, Y.: Combining Knowledge Awareness and Information Filtering in an Open-ended Collaborative Learning Environment, *International Journal of Artificial Intelligence in Education*, Vol.11, pp.33-46, 2000.
- Ogata, H., and Yano, Y.: How Ubiquitous Computing can Support Language Learning, *Proc. of KEST 2003*, pp.1-6, 2003.
- Ogata, H., and Yano, Y.: Supporting Knowledge Awareness for a Ubiquitous CSCL, *Proc. of E-Learn 2003*, pp.2362-2369, 2003.
- O'Malley, C.: *Computer supported collaborative learning, NATO ASI Series, F: Computer and Systems Sciences*, Vol.128. 1994.
- Roschelle, J.: Unlocking the learning value of wireless mobile devices, *Journal of Computer Assisted Learning*, vol.19, pp.260-272, 2003.
- Tveit, A.: Peer-to-peer based recommendations for mobile commerce, Proceedings of the 1st international workshop on Mobile commerce, pp.26 – 29, 2001.